Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2		"Ask CAS" for self-help around the clock
NEWS 3	AUG 09	INSPEC enhanced with 1898-1968 archive
NEWS 4	AUG 28	ADISCTI Reloaded and Enhanced
NEWS 5	AUG 30	CA(SM)/CAplus(SM) Austrian patent law changes
NEWS 6	SEP 21	CA/CAplus fields enhanced with simultaneous left and right truncation
NEWS 7	SEP 25	CA(SM)/CAplus(SM) display of CA Lexicon enhanced
NEWS 8	SEP 25	CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS 9	SEP 25	CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS 10	SEP 28	CEABA-VTB classification code fields reloaded with new classification scheme
NEWS 11	OCT 19	LOGOFF HOLD duration extended to 120 minutes
NEWS 12	OCT 19	E-mail format enhanced
NEWS 13	OCT 23	Option to turn off MARPAT highlighting enhancements available
NEWS 14	OCT 23	CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS 15	OCT 23	The Derwent World Patents Index suite of databases on STN has been enhanced and reloaded
NEWS 16	OCT 30	CHEMLIST enhanced with new search and display field
NEWS 17	NOV 03	JAPIO enhanced with IPC 8 features and functionality
NEWS 18	NOV 10	CA/CAplus F-Term thesaurus enhanced
NEWS 19	NOV 10	STN Express with Discover! free maintenance release Version 8.01c now available
NEWS 20	NOV 20	CAS Registry Number crossover limit increased to 300,000 in additional databases
NEWS 21	NOV 20	CA/CAplus to MARPAT accession number crossover limit increased to 50,000
NEWS 22	DEC 01	CAS REGISTRY updated with new ambiguity codes
NEWS 23	DEC 11	CAS REGISTRY chemical nomenclature enhanced
NEWS 24	DEC 14	WPIDS/WPINDEX/WPIX manual codes updated
NEWS 25	DEC 14	GBFULL and FRFULL enhanced with IPC 8 features and functionality
NEWS 26	DEC 18	CA/CAplus pre-1967 chemical substance index entries enhanced with preparation role
NEWS 27	DEC 18	CA/CAplus patent kind codes updated
NEWS 28	DEC 18	MARPAT to CA/CAplus accession number crossover limit increased to 50,000
NEWS 29	DEC 18	MEDLINE updated in preparation for 2007 reload
NEWS 30	DEC 27	CA/CAplus enhanced with more pre-1907 records

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8
NEWS X25	X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 11:00:48 ON 05 JAN 2007

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 11:00:59 ON 05 JAN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 4 JAN 2007 HIGHEST RN 916790-89-1
DICTIONARY FILE UPDATES: 4 JAN 2007 HIGHEST RN 916790-89-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10573202.str



chain nodes :
7 8 16 21 22 23 30 31
ring nodes :
1 2 3 4 5 6 9 12 13 14 15 17 18 19 20 24 25 26 27 28 29
chain bonds :
2-23 3-22 4-7 5-21 6-8 8-9 15-16 30-31
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 9-12 9-15 12-13 13-14 13-17 14-15 14-20 17-18
18-19 19-20 24-25 24-29 25-26 26-27 27-28 28-29
exact/norm bonds :

4-7 9-12 9-15 12-13 14-15 30-31
exact bonds :
2-23 3-22 5-21 6-8 8-9 15-16
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 13-14 13-17 14-20 17-18 18-19 19-20 24-25
24-29 25-26 26-27 27-28 28-29

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 12:Atom
13:Atom 14:Atom 15:Atom 16:CLASS 17:Atom 18:Atom 19:Atom 20:Atom 21:CLASS
22:CLASS 23:CLASS 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:CLASS
31:CLASS 32:Atom

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 11:01:25 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 5 TO ITERATE

100.0% PROCESSED 5 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 5 TO 234
PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 11:01:29 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 83 TO ITERATE

100.0% PROCESSED 83 ITERATIONS 38 ANSWERS
SEARCH TIME: 00.00.01

L3 38 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL

	ENTRY	SESSION
FULL ESTIMATED COST	172.10	172.31

FILE 'CAPLUS' ENTERED AT 11:01:35 ON 05 JAN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

FILE COVERS 1907 - 5 Jan 2007 VOL 146 ISS 3
FILE LAST UPDATED: 4 Jan 2007 (20070104/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l3 full
L4 3 L3

=> d ibib abs hitstr tot

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:300447 CAPLUS
DOCUMENT NUMBER: 142:373838
TITLE: Preparation of imidazopyridine derivatives as inducible NO-synthase inhibitors
INVENTOR(S): Fuchss, Thomas; Martin, Thomas; Boer, Rainer; Strub, Andreas; Eltze, Manfrid; Lehner, Martin; Ulrich, Wolf-Ruediger
PATENT ASSIGNEE(S): Altana Pharma A.-G., Germany
SOURCE: PCT Int. Appl., 34 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005030771	A1	20050407	WO 2004-EP52378	20040930
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004276015	A1	20050407	AU 2004-276015	20040930
CA 2540083	A1	20050407	CA 2004-2540083	20040930
EP 1675854	A1	20060705	EP 2004-787263	20040930

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR

CN 1856491	A	20061101	CN 2004-80027592	20040930
BR 2004014972	A	20061107	BR 2004-14972	20040930
NO 2006001344	A	20060324	NO 2006-1344	20060324
PRIORITY APPLN. INFO.:			EP 2003-22053	A 20031001
			WO 2004-EP52378	W 20040930

OTHER SOURCE(S): MARPAT 142:373838

GI



I



II

AB Title compds. I [R1 = H, alkyl; R2 = H, alkyl; R3 = H, halo; R4 = H, halo, alkyl, alkoxy; R5 = alkyl; A = alkylene] and their resp. pharmaceutically acceptable salts, are prepared and disclosed as inducible no-synthase inhibitors. Thus, e.g., II was prepared via Suzuki coupling of 2-[2-(4-methoxypyridin-2-yl)ethyl]-6-iodo-3H-imidazo[4,5-b]pyridine (preparation given) with N,N-dimethyl-4-bromobenzenesulfonamide. The activity of I towards inducible NO-synthase was evaluated in inhibition assays and revealed -logIC50 values in the range of 7.45 up to 7.86 mol/L. I as inducible NO-synthase inhibitors should prove useful in the treatment of acute and chronic inflammatory diseases.

IT 849357-47-7P 849357-48-8P 849357-49-9P
849357-50-2P 849357-51-3P 849357-52-4P
849357-54-6P 849357-55-7P 849357-56-8P
849357-57-9P 849357-58-0P 849357-59-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of imidazopyridine derivs. as inducible NO-synthase inhibitors)

RN 849357-47-7 CAPLUS

CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 849357-48-8 CAPLUS
CN Benzenesulfonamide, N,N-diethyl-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849357-49-9 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



RN 849357-50-2 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849357-51-3 CAPLUS
CN Benzenesulfonamide, N-ethyl-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849357-52-4 CAPLUS
CN Benzenesulfonamide, 2-fluoro-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N,N-dimethyl- (9CI) (CA INDEX NAME)



RN 849357-54-6 CAPLUS
CN Benzenesulfonamide, 2-fluoro-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849357-55-7 CAPLUS
CN Benzenesulfonamide, 2-fluoro-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



RN 849357-56-8 CAPLUS
CN Benzenesulfonamide, N-ethyl-2-fluoro-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849357-57-9 CAPLUS
CN Benzenesulfonamide, N-ethyl-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



RN 849357-58-0 CAPLUS
CN Benzenesulfonamide, N,N-diethyl-2-fluoro-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849357-59-1 CAPLUS
CN Benzenesulfonamide, N-ethyl-2-fluoro-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:300446 CAPLUS
DOCUMENT NUMBER: 142:373837
TITLE: Preparation of imidazopyridine derivatives as inducible NO-synthase inhibitors
INVENTOR(S): Fuchss, Thomas; Martin, Thomas; Boer, Rainer; Strub,

Andreas; Eltze, Manfrid; Lehner, Martin; Ulrich, Wolf-Ruediger
PATENT ASSIGNEE(S): Altana Pharma A.-G., Germany
SOURCE: PCT Int. Appl., 66 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005030770	A1	20050407	WO 2004-EP52377	20040930
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004276014	A1	20050407	AU 2004-276014	20040930
CA 2540243	A1	20050407	CA 2004-2540243	20040930
EP 1670796	A1	20060621	EP 2004-787262	20040930
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
CN 1856495	A	20061101	CN 2004-80027833	20040930
BR 2004014933	A	20061107	BR 2004-14933	20040930
NO 2006001317	A	20060323	NO 2006-1317	20060323
US 2006293302	A1	20061228	US 2006-573202	20060324
PRIORITY APPLN. INFO.:			EP 2003-22046 A	20031001
			WO 2004-EP52377 W	20040930

OTHER SOURCE(S): MARPAT 142:373837
GI



I



II

AB Title compds. I [R1 = H, alkyl, cycloalkyl, etc.; R2 = H, alkoxyalkyl, hydroxyalkyl, etc.; R3 = alkyl, CF3, completely or predominantly F-substituted alkoxy, etc.; R1 and R2 together = (un)saturated-, (un)substituted-nitrogen heterocycle; R4 = H, halo, alkyl, alkoxy; R5 = alkyl; A = alkylene] and their resp. pharmaceutically acceptable salts, are prepared and disclosed as inducible no-synthase inhibitors. Thus, e.g., II was prepared via Suzuki coupling of 2-[2-(4-methoxypyridin-2-yl)ethyl]-6-iodo-3H-imidazo[4,5-b]pyridine (preparation given) with 1-(4-bromo-benzene-sulfonyl)-4-methyl-piperazine. The activity of I towards inducible NO-synthase was evaluated in inhibition assays and revealed -logIC50 values in the range of 6.51 up to 7.89 mol/L. I as inducible NO-synthase inhibitors should prove useful in the treatment of acute and chronic inflammatory diseases.

IT 849530-98-9P 849531-00-6P 849531-02-8P
849531-04-0P 849531-06-2P 849531-08-4P
849531-10-8P 849531-12-0P 849531-14-2P
849531-16-4P 849531-18-6P 849531-20-0P
849531-50-6P 849531-58-4P 849531-60-8P
849531-62-0P 849531-64-2P 849531-66-4P
849531-68-6P 849531-70-0P 849531-72-2P
849531-74-4P 849531-80-2P 849531-82-4P
849531-84-6P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of imidazopyridine derivs. as inducible NO-synthase inhibitors)

RN 849530-98-9 CAPLUS
CN Benzenesulfonamide, N-(2-hydroxyethyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-00-6 CAPLUS
CN Benzenesulfonamide, N,N-bis(2-hydroxyethyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-02-8 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-(phenylmethyl)- (9CI) (CA INDEX NAME)



RN 849531-04-0 CAPLUS
CN Benzenesulfonamide, N-cyclohexyl-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-06-2 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N,N-dimethyl-2-(trifluoromethoxy)- (9CI) (CA INDEX NAME)



RN 849531-08-4 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N,N-dimethyl-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 849531-10-8 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N,N,3-trimethyl- (9CI) (CA INDEX NAME)



RN 849531-12-0 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-phenyl- (9CI) (CA INDEX NAME)



RN 849531-14-2 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-(4-methylphenyl)- (9CI) (CA INDEX NAME)



RN 849531-16-4 CAPLUS
CN Benzenesulfonamide, N-(2-methoxyphenyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-18-6 CAPLUS
CN Benzenesulfonamide, N-[4-(dimethylamino)phenyl]-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-20-0 CAPLUS
CN Benzenesulfonamide, N-(4-chlorophenyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



RN 849531-50-6 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl-N-phenyl- (9CI) (CA INDEX NAME)



RN 849531-58-4 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-(2-methylphenyl)- (9CI) (CA INDEX NAME)



RN 849531-60-8 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl-N-4-pyridinyl- (9CI) (CA INDEX NAME)



RN 849531-62-0 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl-N-(4-methylphenyl)- (9CI) (CA INDEX NAME)



RN 849531-64-2 CAPLUS
CN Benzenesulfonamide, N-[4-(dimethylamino)phenyl]-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



RN 849531-66-4 CAPLUS
CN Benzenesulfonamide, N-(2-fluoro-4-methylphenyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-68-6 CAPLUS
CN Benzenesulfonamide, N-(4-methoxyphenyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-70-0 CAPLUS
CN Benzenesulfonamide, N-(4-methoxyphenyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl- (9CI) (CA INDEX NAME)



RN 849531-72-2 CAPLUS
CN Benzenesulfonamide, 4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]-N-methyl-N-(2-methylphenyl)- (9CI) (CA INDEX NAME)



RN 849531-74-4 CAPLUS
CN Benzenesulfonamide, N-(4-chlorophenyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-80-2 CAPLUS
CN Benzenesulfonamide, N,N-bis(2-methoxyethyl)-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-82-4 CAPLUS
CN Benzenesulfonamide, N-cyclobutyl-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



RN 849531-84-6 CAPLUS
CN Benzenesulfonamide, N-cyclopropyl-4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:777790 CAPLUS
DOCUMENT NUMBER: 139:292156
TITLE: Preparation of alkoxypyridines as inducible nitric oxide synthase (iNOS) inhibitors
INVENTOR(S): Boer, Rainer; Marx, Degenhard; Eltze, Manfrid; Klein, Thomas; Nave, Ruediger; Graedler, Ulrich; Fuchss, Thomas; Barsig, Johannes; Ulrich, Wolf-Ruediger
PATENT ASSIGNEE(S): Altana Pharma A.-G., Germany
SOURCE: PCT Int. Appl., 52 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003080607	A1	20031002	WO 2003-EP3076	20030325

W: AE, AL, AU, BA, BR, CA, CN, CO, CU, DZ, EC, GE, HR, ID, IL, IN, IS, JP, KR, LT, LV, MA, MK, MX, NO, NZ, PH, PL, SG, TN, UA, US, VN, YU, ZA, ZW

RW: AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR

CA 2480385	A1	20031002	CA 2003-2480385		20030325
AU 2003226706	A1	20031008	AU 2003-226706		20030325
EP 1490366	A1	20041229	EP 2003-744851		20030325
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK					
BR 2003008785	A	20050111	BR 2003-8785		20030325
CN 1642955	A	20050720	CN 2003-806917		20030325
US 2005171125	A1	20050804	US 2003-509396		20030325
JP 2005525388	T	20050825	JP 2003-578361		20030325
NZ 535959	A	20060526	NZ 2003-535959		20030325
US 7138399	B2	20061121	US 2004-509396		20040924
NO 2004004633	A	20041223	NO 2004-4633		20041027
PRIORITY APPLN. INFO.:			EP 2002-7049	A	20020327
			WO 2003-EP3076	W	20030325

OTHER SOURCE(S): MARPAT 139:292156

GI



I



II

AB Title compds. I [wherein R1 = alkoxy; A = alkylene; B = (un)substituted 3H-imidazo[4,5-b]pyridin-2-yl, 9H-purin-8-yl; their salts, N-oxides, and salts of the N-oxides] were prepared as inducible NO-synthase (iNOS) inhibitor for treatment of acute inflammatory diseases and chronic inflammatory diseases of peripheral organs and central nervous system (CNS). For example, II (m.p. = 116-117°) was prepared by cyclocondensation of Me 3-(4-methoxypyridin-2-yl)propionate (preparation given) with 2,3-diaminopyridine in the presence of polyphosphoric acid at 160° for 1 h. Selected invention compds. inhibited iNOS with -logIC50 (M) in the range of 7.03-7.55. Thus, I and their pharmaceutical compns. are useful for treating acute inflammatory diseases, chronic inflammatory diseases of peripheral organs and CNS and cancer (no data).

IT 608880-84-8P, N-[4-[2-[2-(4-Methoxypyridin-2-yl)ethyl]-3H-imidazo[4,5-b]pyridin-6-yl]phenyl]benzenesulfonamide
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(inducible NO-synthase inhibitor; preparation of alkoxypyridines as inducible NO-synthase inhibitors)

RN 608880-84-8 CAPLUS

CN Benzenesulfonamide, N-[4-[2-[2-(4-methoxy-2-pyridinyl)ethyl]-1H-imidazo[4,5-b]pyridin-6-yl]phenyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 11:00:48 ON 05 JAN 2007)

FILE 'REGISTRY' ENTERED AT 11:00:59 ON 05 JAN 2007
L1 STRUCTURE UPLOADED
L2 1 S L1
L3 38 S L1 FULL

FILE 'CAPLUS' ENTERED AT 11:01:35 ON 05 JAN 2007
L4 3 S L3 FULL

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	17.22	189.53
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.34	-2.34

STN INTERNATIONAL LOGOFF AT 11:03:36 ON 05 JAN 2007